INDEX TO AUTHORS

A

Abramowitz, A. A., Papandrea, D. N., and Hisaw, F. L. Purification of intermedin. I. Recovery and purification from waste fractions of sheep pituitary glands, 579

Alexander, Benjamin. The chemical determination of thiamine and cocarboxylase in biological material, 455

Archibald, Reginald M. Quantitative microdetermination of ammonia in the presence of glutamine and other labile substances, 141

Ashby, Winifred. Carbonic anhydrase in mammalian tissue, 521

— and **Chan, Dorothea V.** Determination of carbonic anhydrase in human autopsy tissue, 515

B

Ball, Charles D., Hardt, Chester R., and Duddles, Willard J. The influence of sugars on the formation of sulfhydryl groups in heat denaturation and heat coagulation of egg albumin, 163

Barki, H. V. See *Mannering, Cannon, Barki, Elvehjem, and Hart*, 101

Barnes, Frederick W., Jr., and Schoenheimer, Rudolf. On the biological synthesis of purines and pyrimidines, 123

Bergmann, Max. See *Tietzman, Doherty, and Bergmann*, 387

Blotter, Lois. See *Kuiken, Norman, Lyman, Hale, and Blotter*, 615

Bonner, D. M. See *Tatum and Bonner*, 349

Bovarnick, Marianna R. Formation of a nicotinamide-like substance from various amino acids and related compounds, 467

Bovie, Russell C. See *Dunn, Stoddard, Rubin, and Bovie*, 241

Brewer, Gladys. See *Furchgott and Shorr*, 65

Brodie, Bernard B., and Udenfriend, Sidney. The estimation of atabrine in biological fluids and tissues, 299

Brown, Elmer B., Hamm, John C., and Harrison, Horace E. Comparison of thiamine values by chemical and bioassay methods, 153

Brown, J. B. See *Cramer and Brown*, 427

C

Cannon, M. D. See *Mannering, Cannon, Barki, Elvehjem, and Hart*, 101

Chaikoff, I. L. See *Schachner, Franklin, and Chaikoff*, 191

Chan, Dorothea V. See *Ashby*, 521

—. See *Ashby and Chan*, 515

Chance, Britton. The kinetics of the enzyme-substrate compound of peroxidase, 553

Chang, L. H. The fecal excretion of polycyclic hydrocarbons following their administration to the rat, 93

— and **Young, Leslie.** The metabolism of acenaphthene in the rat, 87

Chargaff, Erwin, and Sprinson, David B. Studies on the mechanism of deamination of serine and threonine in biological systems, 273

Christensen, Halvor N. The isolation of valylvaline from gramicidin hydrolysates, 319

Class, Robert N., and Smith, Arthur H. The skeleton as a source of endogenous citric acid, 363

Cori, Carl F., Cori, Gerty T., and Green, Arda Alden. Crystalline muscle phosphorylase. III. Kinetics, 39

—. See *Cori and Cori*, 57

Cori, Gerty T., and Cori, Carl F. Crystalline muscle phosphorylase. IV. Formation of glycogen, 57

— and **Green, Arda Alden.** Crystalline muscle phosphorylase. II. Prosthetic group, 31

—. See *Cori, Cori, and Green*, 39

—. See *Green and Cori*, 21

Cramer, David L., and Brown, J. B. The component fatty acids of human depot fat, 427
Crohn, E. B. See *Ralls*, 529

D

Doherty, David G. See *Tietzman, Doherty, and Bergmann*, 387
Doudoroff, Michael. Studies on the phosphorolysis of sucrose, 351
Dounce, Alexander L. Further studies on isolated cell nuclei of normal rat liver, 221
—. The desoxyribonucleic acid content of isolated nuclei of tumor cells, 235
Duddles, Willard J. See *Ball, Hardt, and Duddles*, 163
Dunbar, P. See *Goettsch, Lyttle, Grim, and Dunbar*, 149
Dunn, Max S., Stoddard, M. Palmer, Rubin, Louis B., and Bovie, Russell C. Investigations of amino acids and peptides. XV. Some physical properties of *l*(+)-alanine and *d*(−)-alanine, 241
—. See *Shankman, Dunn, and Rubin*, 511

E

Eichelberger, Lillian, Eisele, C. Wesley, and Wertzler, Dorothy. The distribution of water, nitrogen, and electrolytes in skin, 177
Eisele, C. Wesley. See *Eichelberger, Eisele, and Wertzler*, 177
Elvehjem, C. A. See *Mannering, Cannon, Barki, Elvehjem, and Hart*, 101
—. See *Ransone and Elvehjem*, 109

F

Featherston, William P. See *Handler and Featherston*, 395
Franklin, A. L. See *Schachner, Franklin, and Chaikoff*, 191
Furchgott, Robert F., and Shorr, Ephraim. Phosphate exchange in resting cardiac muscle as indicated by radioactivity studies. IV, 65

G

Gangstad, Edward O. See *Sullivan, Gangstad, and Link*, 477
Goettsch, E., Lyttle, John D., Grim, W. M., and Dunbar, P. Amino acid studies. III. The reversibility of plasma amino acid retention during recovery from dietary hypoproteinemia in the dog, 149
Gould, Bernard S., and Shwachman, Harry. A new method for the bioassay of antiscorbutic substances. Assays of dehydroascorbic acid, 2-ketogulonic acid, iron ascorbate, and the effectiveness of oral and parenteral administration of ascorbic acid, 439
Green, Arda Alden, and Cori, Gerty T. Crystalline muscle phosphorylase. I. Preparation, properties, and molecular weight, 21
—. See *Cori, Cori, and Green*, 39
—. See *Cori and Green*, 31
Greenberg, Leon A., Lester, David, and Haggard, Howard W. The reaction of hemoglobin with nitrite, 665
Grim, W. M. See *Goettsch, Lyttle, Grim, and Dunbar*, 149

H

Hack, Marvin. See *Klein*, 651
Haggard, Howard W. See *Greenberg, Lester, and Haggard*, 665
Hale, Fred. See *Kuiken, Norman, Lyman, Hale, and Blotter*, 615
Hamm, John C. See *Brown, Hamm, and Harrison*, 153
Handler, Philip, and Featherston, William P. The biochemical defect in nicotinic acid deficiency. II. On the nature of the anemia, 395
Hardt, Chester R. See *Ball, Hardt, and Duddles*, 163
Harris, Philip L. See *Weissberger and Harris*, 543
Harrison, Horace E. See *Brown, Hamm, and Harrison*, 153
Hart, E. B. See *Mannering, Cannon, Barki, Elvehjem, and Hart*, 101

Hemingway, Allan. See *Lorber, Hemingway, and Nier*, 647
Hess, W. C., and Sullivan, M. X. The cysteine, cystine, and methionine content of proteins, 635
Hisaw, F. L. See *Abramowitz, Papandrea, and Hisaw*, 579
Hoagland, Charles L., Ward, S. M., and Shank, R. E. Synthesis of coenzyme and factor V in erythrocytes, and the excretion of nicotinic acid derivatives in the urine following the ingestion of nicotinic acid and nicotinamide, 369

K

Klein, J. Raymond. Inhibition of brain respiration by picrotoxin, 651
Kuiken, K. A., Norman, William H., Lyman, Carl M., Hale, Fred, and Blotter, Lois. The microbiological determination of amino acids. I. Valine, leucine, and isoleucine, 615

L

Lan, Tien Ho. The *d*-aminoacid oxidase, uricase, and choline oxidase in normal rat liver and in nuclei of normal rat liver cells, 171
Lauffer, Max A. The sedimentation rate of the infectious principle of tobacco mosaic virus, 627
Lavine, Theodore F. An iodometric determination of methionine, 281
Lee, S. B., and Wilson, P. W. Hydrogenase and nitrogen fixation by *Azotobacter*, 377
Lenney, James F. See *Gould and Shwachman*, 439
Lester, David. See *Greenberg, Lester, and Haggard*, 665
Lieben, Fritz. On the hydrolysis of proteins and peptones at high temperatures and on the catalytic effect of metal ions on the rate of hydrolysis, 117
Link, Karl Paul. See *Sullivan, Gangstad, and Link*, 477
Lorber, Victor, Hemingway, Allan, and Nier, A. O. Assimilation of carbon dioxide by the isolated mammalian heart, 647
Lyman, Carl M. See *Kuiken, Norman, Lyman, Hale, and Blotter*, 615
Lyttle, John D. See *Goettsch, Lyttle, Grim, and Dunbar*, 149

M

Mannering, G. J., Cannon, M. D., Barki, H. V., Elvehjem, C. A., and Hart, E. B. Further evidence for the existence of specific dietary essentials for the guinea pig, 101
Manning, Winston M., and Strain, Harold H. Chlorophyll *d*, a green pigment of red algae, 1
Martin, Gustav J., and Rennebaum, E. H. Sulfanilamide acetylation as influenced by various chemicals and by vitamin deficiencies, 417
McShan, W. H., and Meyer, Roland K. Preparation of sheep pituitary gonadotropin and recovery of the lactogenic hormone, 259
Mecham, Dale K. The determination of cysteine and cystine by Vassel's method, 643
Meyer, Roland K. See *McShan and Meyer*, 259

N

Nier, A. O. See *Lorber, Hemingway, and Nier*, 647
Norman, William H. See *Kuiken, Norman, Lyman, Hale, and Blotter*, 615

O

Ochoa, Severo. Efficiency of aerobic phosphorylation in cell-free heart extracts, 493
Oncley, J. L. See *Green and Cori*, 21

P

Papandrea, D. N. See *Abramowitz, Papandrea, and Hisaw*, 579
Pepkowitz, Leonard P. The rapid determination of ascorbic acid by the adaptation of Stotz's method to plant materials, 405

Peterson, W. H. See *Shull and Peterson*, 201
Pickett, M. J. Studies on the metabolism of *Clostridium tetani*, 203

Q

Quigley, James J. See *Thompson and Quigley*, 343

R

Ralls, J. O. Urea is not equally distributed between the water of the blood cells and that of the plasma, 529
Ransone, Beverly, and Elvehjem, C. A. The value of biotin, folic acid concentrates, and liver extract in the diet of rats fed succinylsulfathiazole, 109
Rennebaum, E. H. See *Martin and Rennebaum*, 417
Rittenberg, D. See *Shemin and Rittenberg*, 507
Roberts, Sidney, and Samuels, Leo T. The influence of previous diet on the preferential utilization of foodstuffs. I. Fasting ketosis and nitrogen excretion as related to the fat content of the preceding diet, 267
Rubin, Louis B. See *Dunn, Stoddard, Rubin, and Bovie*, 241
—. See *Shankman, Dunn, and Rubin*, 511
Ryan, Josephine. See *Talbot, Ryan, and Wolfe*, 607

S

Salcedo, Juan, Jr., and Stetten, DeWitt, Jr. The turnover of fatty acids in the congenitally obese mouse, 413
Samuels, Leo T. See *Roberts and Samuels*, 267
—. See *Szego and Samuels*, 587, 599
Schachner, H., Franklin, A. L., and Chaikoff, I. L. The effect of cytochrome oxidase inhibitors on the formation *in vitro* of thyroxine and diiodotyrosine by thyroid tissue with radioactive iodine as indicator, 191
Schoenheimer, Rudolf. See *Barnes and Schoenheimer*, 123
Shahrokh, Bahman K. Preparation and antigenic properties of a crystalline labeled antigen, 659
Shank, R. E. See *Hoagland, Ward, and Shank*, 369
Shankman, S., Dunn, Max S., and Rubin, Louis B. The microbiological analysis of seven amino acids with *Lactobacillus casei*, 511
Shemin, David, and Rittenberg, D. Evidence for the totally asymmetric synthesis of amino acids *in vivo*, 507
Shorr, Ephraim. See *Furchgott and Shorr*, 65
Shull, G. M., and Peterson, W. H. Improvements in the *Lactobacillus casei* assay for biotin, 201
Shwachman, Harry. See *Gould and Shwachman*, 439
Smith, Arthur H. See *Class and Smith*, 363
Sprinson, David B. See *Chargaff and Sprinson*, 273
Stetten, DeWitt, Jr. See *Salcedo and Stetten*, 413
Stoddard, M. Palmer. See *Dunn, Stoddard, Rubin, and Bovie*, 241
Strain, Harold H. See *Manning and Strain*, 1
Sullivan, M. X. See *Hess and Sullivan*, 635
Sullivan, William R., Gangstad, Edward O., and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. XII. The effect of *l*-ascorbic acid on the hypoprothrombinemia induced by 3,3′-methylenebis(4-hydroxycoumarin) in the guinea pig, 477
Szego, Clara M., and Samuels, Leo T. Colorimetric determination of the estrogens: a method for the determination of total estrone and estradiol from tissue sources, 587
— and —. The metabolism of estrone in surviving rabbit, bovine, and human endometrium, 599

T

Talbot, Nathan B., Ryan, Josephine, and Wolfe, John K. Enzymatic hy-

drolysis of urinary sodium pregnanediol glucuronidate to free pregnanediol, 607

Tatum, E. L., and **Bonner, D. M.** Synthesis of tryptophane from indole and serine by *Neurospora*, 349

Thompson, William R. Modification of Holden's gasometric method for determination of carbon dioxide formed by yeast action, and its application to sugars in various combinations in biologic media, 325

— and **Quigley, James J.** A simple device for quantitative ultrafiltration in chemical analysis, 343

Tietzman, Josephine E., Doherty, David G., and **Bergmann, Max.** New anhydrides of peptides and dehydrogenated peptides, 387

U

Udenfriend, Sidney. See *Brodie and Udenfriend*, 299

W

Ward, S. M. See *Hoagland, Ward, and Shank*, 369

Weissberger, Louise Harris, and **Harris, Philip L.** Effect of tocopherols on phosphorus metabolism, 543

Wertzler, Dorothy. See *Eichelberger, Eisele, and Wertzler*, 177

Wilson, P. W. See *Lee and Wilson*, 377

Wolfe, John K. See *Talbot, Ryan, and Wolfe*, 607

Y

Young, Leslie. See *Chang and Young*, 87

—. See *Zbarsky and Young*, 211, 217, 487

Z

Zbarsky, S. H., and **Young, Leslie.** Mercapturic acids. I. The synthesis of phenyl-*l*-cysteine and *l*-phenylmercapturic acid, 211

— and —. II. The formation of *l*-phenylmercapturic acid from phenyl-*l*-cysteine *in vivo*, 217

— and —. III. The conversion of benzene to phenylmercapturic acid in the rat, 487

INDEX TO SUBJECTS

A

Acenaphthene: Metabolism, rat, *Chang and Young*, 87

Alanine: *d*(−)-, physical properties, *Dunn, Stoddard, Rubin, and Bovie*, 241

l(+)-, physical properties, *Dunn, Stoddard, Rubin, and Bovie*, 241

Albumin: Egg. *See* Egg albumin

Alga: Red, chlorophyll *d*, *Manning and Strain*, 1

—, pigment, green, *Manning and Strain*, 1

Amino acid(s): *Goettsch, Lyttle, Grim, and Dunbar*, 149

Blood plasma, retention, hypoproteinemia, *Goettsch, Lyttle, Grim, and Dunbar*, 149

d-, oxidase, liver and liver cell nuclei, *Lan*, 171

Determination, *Lactobacillus casei* use, *Shankman, Dunn, and Rubin*, 511

—, microbiological, *Kuiken, Norman, Lyman, Hale, and Blotter*, 615

Nicotinamide-like substance from, *Bovarnick*, 467

Peptides and, *Dunn, Stoddard, Rubin, and Bovie*, 241

-Related compounds, nicotinamide-like substance from, *Bovarnick*, 467

Synthesis, asymmetric, *in vivo*, *Shemin and Rittenberg*, 507

Ammonia: Determination, micro-, glutamine presence, *Archibald*, 141

Anemia: Nicotinic acid deficiency, *Handler and Featherston*, 395

Anhydrase: Carbonic, autopsy tissue, determination, *Ashby and Chan*, 515

—, tissue, mammalian, *Ashby*, 521

Antigen: Crystalline, labeled, preparation and properties, *Shahrokh*, 659

Antiscorbutic substance(s): Determination, *Gould and Shwachman*, 439

Apparatus: Ultrafiltration, *Thompson and Quigley*, 343

Ascorbic acid: Administration, oral and parenteral, effect, *Gould and Shwachman*, 439

Dehydro-, determination, *Gould and Shwachman*, 439

l-, hypoprothrombinemia from 3,3′-methylenebis(4-hydroxycoumarin), effect, *Sullivan, Gangstad, and Link*, 477

Plants, determination, *Pepkowitz*, 405

Atabrine: Biological fluids, determination, *Brodie and Udenfriend*, 299

Tissues, determination, *Brodie and Udenfriend*, 299

Autopsy tissue: Carbonic anhydrase determination, *Ashby and Chan*, 515

Azotobacter: Hydrogenase, effect, *Lee and Wilson*, 377

Nitrogen fixation, effect, *Lee and Wilson*, 377

B

Bacillus: *See also Lactobacillus*

Bacterium: *See also Azotobacter, Clostridium*

Benzene: Phenylmercapturic acid from, rat, *Zbarsky and Young*, 487

Biotin: Determination, *Lactobacillus casei* use, *Shull and Peterson*, 201

Succinylsulfathiazole and, effect, *Ransone and Elvehjem*, 109

Blood cell(s): Red, coenzyme and factor V synthesis, *Hoagland, Ward, and Shank*, 369

Water, urea distribution, *Ralls*, 529

Blood plasma: Amino acid retention, hypoproteinemia, *Goettsch, Lyttle, Grim, and Dunbar*, 149

Water, urea distribution, *Ralls*, 529

Brain: Respiration, picrotoxin effect, *Klein*, 651

C

Carbon dioxide: Determination, gasometric, yeast use, *Thompson*, 325

Carbon dioxide—*continued:*
Heart, isolated, assimilation, *Lorber, Hemingway, and Nier*, 647
Carbonic anhydrase: Autopsy tissue, determination, *Ashby and Chan*, 515
Tissue, mammalian, *Ashby*, 521
Carboxylase: Co-, biological material, determination, chemical, *Alexander*, 455
Cell: Nucleus, liver, isolated, *Dounce*, 221
—, tumor, isolated, desoxyribonucleic acid, *Dounce*, 235
Chlorophyll: *d*, algae, red, *Manning and Strain*, 1
Choline: Oxidase, liver and liver cell nuclei, *Lan*, 171
Citric acid: Endogenous, skeleton, relation, *Class and Smith*, 363
Clostridium tetani: Metabolism, *Pickett*, 203
Clover: Sweet, hemorrhagic disease, *Sullivan, Gangstad, and Link*, 477
Cocarboxylase: Biological material, determination, chemical, *Alexander*, 455
Coenzyme: Blood cells, red, synthesis, *Hoagland, Ward, and Shank*, 369
Coumarin: 3,3′-Methylenebis(4-hydroxy-), hypoprothrombinemia, *l*-ascorbic acid effect, *Sullivan, Gangstad, and Link*, 477
Cysteine: Determination, *Mecham*, 643
Phenyl-*l*-, *l*-phenylmercapturic acid formation from, *in vivo*, *Zbarsky and Young*, 217
—, synthesis, *Zbarsky and Young*, 211
Proteins, *Hess and Sullivan*, 635
Cystine: Determination, *Mecham*, 643
Proteins, *Hess and Sullivan*, 635
Cytochrome: Oxidase, thyroxine and diiodotyrosine formation *in vitro*, thyroid, effect, radioactive iodine as indicator, *Schachner, Franklin, and Chaikoff*, 191

D

Dehydroascorbic acid: Determination, *Gould and Shwachman*, 439
Desoxyribonucleic acid: Tumor cell nucleus, isolated, *Dounce*, 235
Diet: Essential element, guinea pig, *Mannering, Cannon, Barki, Elvehjem, and Hart*, 101
Foodstuff utilization, effect, *Roberts and Samuels*, 267
Diiodotyrosine: Formation *in vitro*, thyroid, cytochrome oxidase effect, radioactive iodine as indicator, *Schachner, Franklin, and Chaikoff*, 191

E

Egg albumin: Sulfhydryl groups, formation, sugar effect, *Ball, Hardt, and Duddles*, 163
Electrolyte(s): Skin, *Eichelberger, Eisele, and Wertzler*, 177
Endometrium: Estrone metabolism, *Szego and Samuels*, 599
Enzyme(s): Sodium pregnanediol glucuronidate hydrolysis to pregnanediol, effect, *Talbot, Ryan, and Wolfe*, 607
See also Anhydrase, Cocarboxylase, Oxidase, Peroxidase, Phosphorylase
Estradiol: Tissue, determination, colorimetric, *Szego and Samuels*, 587
Estrogen(s): Determination, colorimetric, *Szego and Samuels*, 587
Estrone: Metabolism, endometrium, *Szego and Samuels*, 599
Tissue, determination, colorimetric, *Szego and Samuels*, 587

F

Factor V: Blood cells, red, synthesis, *Hoagland, Ward, and Shank*, 369
Fasting: Ketosis, dietary fat, relation, *Roberts and Samuels*, 267
Fat(s): Depot, fatty acids, *Cramer and Brown*, 427
Dietary, ketosis, fasting, relation, *Roberts and Samuels*, 267
—, nitrogen excretion, relation, *Roberts and Samuels*, 267
Fatty acid(s): Fat depot, *Cramer and Brown*, 427
Turnover, mouse, congenitally obese, *Salcedo and Stetten*, 413

Feces: Hydrocarbons, polycyclic, excretion, *Chang*, 93
Folic acid: Concentrates, succinylsulfathiazole and, effect, *Ransone and Elvehjem*, 109
Foodstuff(s): Utilization, previous diet, effect, *Roberts and Samuels*, 267

G

Glutamine: Ammonia determination, micro-, effect, *Archibald*, 141
Glycogen: Formation, muscle phosphorylase, crystalline, effect, *Cori and Cori*, 57
Gonadotropin: Pituitary, preparation, *McShan and Meyer*, 259
Gramicidin: Hydrolysates, valylvaline isolation, *Christensen*, 319
Guinea pig: Dietary essentials, *Mannering, Cannon, Barki, Elvehjem, and Hart*, 101
Gulonic acid: 2-Keto-, determination, *Gould and Shwachman*, 439

H

Heart: Extracts, cell-free, phosphorylation, aerobic, *Ochoa*, 493
Isolated, carbon dioxide assimilation, *Lorber, Hemingway, and Nier*, 647
See also Muscle
Hemoglobin: Nitrite, reaction, *Greenberg, Lester, and Haggard*, 665
Hemorrhage: Sweet clover disease, *Sullivan, Gangstad, and Link*, 477
Hydrocarbon(s): Polycyclic, feces, excretion, *Chang*, 93
Hydrogenase: *Azotobacter* effect, *Lee and Wilson*, 377
Hypoproteinemia: Dietary, blood plasma amino acid retention, *Goettsch, Lyttle, Grim, and Dunbar*, 149
Hypoprothrombinemia: 3,3′-Methylenebis(4-hydroxycoumarin), *l*-ascorbic acid effect, *Sullivan, Gangstad, and Link*, 477

I

Indole: Tryptophane synthesis from, by *Neurospora, Tatum and Bonner*, 349
Intermedin: Pituitary waste fractions, recovery and purification, *Abramowitz, Papandrea, and Hisaw*, 579
Purification, *Abramowitz, Papandrea, and Hisaw*, 579
Iodine: Radioactive, thyroxine and diiodotyrosine formation *in vitro*, thyroid, cytochrome oxidase effect, use in study, *Schachner, Franklin, and Chaikoff*, 191
Iron ascorbate: Determination, *Gould and Shwachman*, 439
Isoleucine: Determination, microbiological, *Kuiken, Norman, Lyman, Hale, and Blotter*, 615

K

Ketogulonic acid: 2-, determination, *Gould and Shwachman*, 439
Ketosis: Fasting, dietary fat, relation, *Roberts and Samuels*, 267

L

Lactobacillus casei: Amino acids, determination, use, *Shankman, Dunn, and Rubin*, 511
Biotin determination, use, *Shull and Peterson*, 201
Lactogenic hormone: Preparation, *McShan and Meyer*, 259
Leucine: Determination, microbiological, *Kuiken, Norman, Lyman, Hale, and Blotter*, 615
Iso-, determination, microbiological, *Kuiken, Norman, Lyman, Hale, and Blotter*, 615
Liver: *d*-Amino acid oxidase, *Lan*, 171
Cell nucleus, *d*-amino acid oxidase, uricase, and choline oxidase, *Lan*, 171
——, isolated, *Dounce*, 221
Choline oxidase, *Lan*, 171
Extract, succinylsulfathiazole and, effect, *Ransone and Elvehjem*, 109
Uricase, *Lan*, 171

M

Mercapturic acid(s): *Zbarsky and Young*, 211, 217, 487
Phenyl-, benzene conversion to, rat, *Zbarsky and Young*, 487

Mercaptic acid (s)—*continued:*
l-Phenyl-, formation from phenyl-*l*-cysteine *in vivo*, *Zbarsky and Young*, 217
—, synthesis, *Zbarsky and Young*, 211
Methionine: Determination, iodometric, *Lavine*, 281
Proteins, *Hess and Sullivan*, 635
Methylenebis(4-hydroxycoumarin): 3, 3'-, hypoprothrombinemia, *l*-ascorbic acid effect, *Sullivan, Gangstad, and Link*, 477
Mosaic: Virus, tobacco, infectious principle, sedimentation rate, *Lauffer*, 627
Mouse: Congenitally obese, fatty acid turnover, *Salcedo and Stetten*, 413
Muscle: Cardiac, phosphate exchange, radioactivity studies, *Furchgott and Shorr*, 65
Phosphorylase, crystalline, *Green and Cori*, 21
Cori and Green, 31
Cori, Cori, and Green, 39
Cori and Cori, 57
—, —, glycogen formation, effect, *Cori and Cori*, 57
—, —, kinetics, *Cori, Cori, and Green*, 39
—, —, preparation, properties, and molecular weight, *Green and Cori*, 21
—, —, prosthetic group, *Cori and Green*, 31
See also Heart

N

Naphthene: Ace-, metabolism, rat, *Chang and Young*, 87
Neurospora: Tryptophane synthesis from indole and serine, effect, *Tatum and Bonner*, 349
Nicotinamide: -Like substance, formation, amino acids and related compounds, relation, *Bovarnick*, 467
Urine nicotinic acid derivatives, nicotinic acid and, ingestion effect, *Hoagland, Ward, and Shank*, 369
Nicotinic acid: Deficiency, anemia nature, *Handler and Featherston*, 395
—, biochemical defect, *Handler and Featherston*, 395
Derivatives, urine, nicotinic acid and nicotinamide ingestion effect, *Hoagland, Ward, and Shank*, 369
Urine nicotinic acid derivatives, nicotinamide and, ingestion effect, *Hoagland, Ward, and Shank*, 369
Nitrite: Hemoglobin reaction, *Greenberg, Lester, and Haggard*, 665
Nitrogen: Excretion, dietary fat, relation, *Roberts and Samuels*, 267
Fixation, *Azotobacter* effect, *Lee and Wilson*, 377
Skin, *Eichelberger, Eisele, and Wertzler*, 177
Nucleic acid: Desoxyribo-, tumor cell nuclei, isolated, *Dounce*, 235
Nucleus: *See* Cell

O

Oxidase: *d*-Amino acid, liver and liver cell nuclei, *Lan*, 171
Choline, liver and liver cell nuclei, *Lan*, 171
Cytochrome, thyroxine and diiodotyrosine formation *in vitro*, thyroid, effect, radioactive iodine as indicator, *Schachner, Franklin, and Chaikoff*, 191

P

Peptide(s): Amino acids and, *Dunn, Stoddard, Rubin, and Bovie*, 241
Anhydrides, *Tietzman, Doherty, and Bergmann*, 387
Dehydrogenated, anhydrides, *Tietzman, Doherty, and Bergmann*, 387
Peptone(s): Hydrolysis, metal ions, effect, *Lieben*, 117
—, temperature effect, *Lieben*, 117
Peroxidase: Enzyme-substrate compound, kinetics, *Chance*, 553
Phenyl-*l*-cysteine: *l*-Phenylmercapturic acid formation from, *in vivo*, *Zbarsky and Young*, 217
Synthesis, *Zbarsky and Young*, 211

Phenylmercapturic acid: Benzene conversion to, rat, *Zbarsky and Young*, 487
l-, formation from phenyl-*l*-cysteine *in vivo*, *Zbarsky and Young*, 217
—, synthesis, *Zbarsky and Young*, 211
Phosphate(s): Muscle, cardiac, exchange, radioactivity studies, *Furchgott and Shorr*, 65
Phosphorus: Metabolism, tocopherol effect, *Weissberger and Harris*, 543
Phosphorylase: Muscle, crystalline, *Green and Cori*, 21
Cori and Green, 31
Cori, Cori, and Green, 39
Cori and Cori, 57
—, —, glycogen formation, effect, *Cori and Cori*, 57
—, —, kinetics, *Cori, Cori, and Green*, 39
—, —, preparation, properties, and molecular weight, *Green and Cori*, 21
—, —, prosthetic group, *Cori and Green*, 31
Picrotoxin: Brain respiration, effect, *Klein*, 651
Pigment: Green, algae, red, *Manning and Strain*, 1
Pituitary: Gonadotropin, preparation, *McShan and Meyer*, 259
Lactogenic hormone preparation, *McShan and Meyer*, 259
Plant(s): Ascorbic acid determination, *Pepkowitz*, 405
Pregnanediol: Urine sodium pregnanediol glucuronidate hydrolysis, enzymatic, *Talbot, Ryan, and Wolfe*, 607
Pregnanediol glucuronidate: Sodium, urine, hydrolysis, enzymatic, pregnanediol from, *Talbot, Ryan, and Wolfe*, 607
Protein(s): Cysteine, *Hess and Sullivan*, 635
Cystine, *Hess and Sullivan*, 635
Hydrolysis, metal ions, effect, *Lieben*, 117
—, temperature effect, *Lieben*, 117
Methionine, *Hess and Sullivan*, 635
Purine(s): Synthesis, biological, *Barnes and Schoenheimer*, 123
Pyrimidine(s): Synthesis, biological, *Barnes and Schoenheimer*, 123

S

Serine: Deamination, biological systems, mechanism, *Chargaff and Sprinson*, 273
Tryptophane synthesis from, by *Neurospora, Tatum and Bonner*, 349
Skeleton: Citric acid, endogenous, relation, *Class and Smith*, 363
Skin: Electrolytes, *Eichelberger, Eisele, and Wertzler*, 177
Nitrogen, *Eichelberger, Eisele, and Wertzler*, 177
Water, *Eichelberger, Eisele, and Wertzler*, 177
Succinylsulfathiazole: Biotin and, effect, *Ransone and Elvehjem*, 109
Folic acid and, effect, *Ransone and Elvehjem*, 109
Liver extract and, effect, *Ransone and Elvehjem*, 109
Sucrose: Phosphorolysis, *Doudoroff*, 351
Sugar(s): Biological media, determination, gasometric-carbon dioxide method, *Thompson*, 325
Sulfhydryl groups, formation, egg albumin, effect, *Ball, Hardt, and Duddles*, 163
Sulfanilamide: Acetylation, chemicals, effect, *Martin and Rennebaum*, 417
—, vitamin deficiencies, effect, *Martin and Rennebaum*, 417
Sulfathiazole: Succinyl-, biotin, folic acid, and liver extract in diet, effect, *Ransone and Elvehjem*, 109
Sulfhydryl group(s): Egg albumin, formation, sugar effect, *Ball, Hardt, and Duddles*, 163

T

Thiamine: Biological material, determination, chemical, *Alexander*, 455
Determination, chemical and bioassay, comparison, *Brown, Hamm, and Harrison*, 153

Threonine: Deamination, biological systems, mechanism, *Chargaff and Sprinson*, 273
Thyroid: Thyroxine and diiodotyrosine formation *in vitro*, cytochrome oxidase effect, radioactive iodine as indicator, *Schachner, Franklin, and Chaikoff*, 191
Thyroxine: Formation *in vitro*, thyroid, cytochrome oxidase effect, radioactive iodine as indicator, *Schachner, Franklin, and Chaikoff*, 191
Tobacco: Mosaic virus, infectious principle, sedimentation rate, *Lauffer*, 627
Tocopherol(s): Phosphorus metabolism, effect, *Weissberger and Harris*, 543
Tryptophane: Synthesis, *Neurospora*, indole and serine effect, *Tatum and Bonner*, 349
Tumor: Cell nucleus, isolated, desoxyribonucleic acid, *Dounce*, 235
Tyrosine: Diiodo-, formation *in vitro*, thyroid, cytochrome oxidase effect, radioactive iodine as indicator, *Schachner, Franklin, and Chaikoff*, 191

U

Ultrafiltration: Apparatus, *Thompson and Quigley*, 343
Urea: Blood cell water, distribution, *Ralls*, 529
— plasma water, distribution, *Ralls*, 529
Uricase: Liver and liver cell nuclei, *Lan*, 171
Urine: Nicotinic acid derivatives, nicotinic acid and nicotinamide ingestion effect, *Hoagland, Ward, and Shank*, 369
Sodium pregnanediol glucuronidate hydrolysis, enzymatic, pregnanediol from, *Talbot, Ryan, and Wolfe*, 607

V

Valine: Determination, microbiological, *Kuiken, Norman, Lyman, Hale, and Blotter*, 615
Valyl-, gramicidin hydrolysates, isolation, *Christensen*, 319
Valylvaline: Gramicidin hydrolysates, isolation, *Christensen*, 319
Virus: Tobacco mosaic, infectious principle, sedimentation rate, *Lauffer*, 627
Vitamin(s): Deficiency, sulfanilamide acetylation, effect, *Martin and Rennebaum*, 417

W

Water: Blood cells, urea distribution, *Ralls*, 529
— plasma, urea distribution, *Ralls*, 529
Skin, *Eichelberger, Eisele, and Wertzler*, 177

Y

Yeast: Carbon dioxide determination, gasometric, use, *Thompson*, 325